



SPECIAL AM110 ROTATED 270°CCW: BASIC ASSY GROUP ITB91210001

DRAWING AND 3D MODEL ARE VALID FOR ALL RATIOS

PRIMO UTILIZZO MONTAGGIO/FIRST USE ASSEMBLY:		PESO WEIGHT: kg	RUGOSITA' GEN. Ra (μm):	MATERIALE / MATERIAL:	DATA / DATE:
PRIMO IMPIEGO MODELLO/FIRST USE MODEL:		WR: kg-m ³	()		04/20/2018
SIMILE A/SIMILAR TO:			QUOTE SENZA INDICAZIONE DI TOLLERANZA	TRATT. TERMICO / HEAT TREAT:	SCALA / SCALE:
METRIC			UNI ISO 2768 - c		1:4
NOTICE! THIS PRINT CONTAINS PROPRIETARY INFORMATION AND IS NOT TO BE USED IN ANY MANNER DETRIMENTAL TO THE INTEREST OF TWIN DISC, INCORPORATED. THIS NOTICE IS NOT INTENDED TO NULLIFY OR LIMIT RIGHTS GRANTED TO THE U.S. GOVERNMENT OR OTHERS BY CONTRACT.		FIRST ANGLE PROJECTION	DIMENSIONS WITHOUT TOLERANCES	DESCRIZIONE:	VERIF. / CHECK:
			GOLF DI SCARICO FILETTATURE SECONDO NORMATIVE UNIT ISO 4755 - UNI 5709 - UNI5710 THREAD UNDERCUTS ACCORDING TO STANDARD ISO	INGOMBRO AM110 BOM 1029010P	GG
				AM110 BOM 1029010P	APPROVATO/APP: DAJ
				INSTALLATION PUMP DRIVE AM110 BOM 1029010P	FORMATO / ITEM NO: A2
					FOGLIO / SHEET: 1 OF 1
					INDIC MODIF / REV: -

-	NDWF-4000443	05/14/2018
INDIC MODIF / REV:	MODIFICA / CHANGE NO.	DATA / DATE

TWIN DISC
RACINE, WI 53403 - USA
1029011N

D

C

B

A