







NOTE:  
TO ENSURE NO PRELOAD ON SHIFTING MECHANISM,  
HAND LEVER POSITION IN THE ENGAGED POSITION  
SHOULD BE VERTICAL OR  
SLIGHTLY OVER CENTER OF DISENGAGED POSITION



GENERAL NOTES:

- a.) REFER TO BILL OF MATERIAL LIST WHEN ORDERING PARTS.
- b.) REFER TO CARE & OPERATION MANUAL FOR ADDITIONAL INFO.

**Drawing and 3D model are valid for all ratios**

PRIMO UTILIZZO MONTAGGIO/FIRST USE ASSEMBLY: PRIMO IMPIEGO MODELLO/FIRST USE MODEL: SIMILE A/SIMILAR TO:		MODELLO / MADE FROM:	MATERIALE / MATERIAL:	DATA / DATE: 04/06/2018
<b>METRIC</b>		PESO / WEIGHT: WR <sup>2</sup> : TOLL. GEN. DILAVORAZIONE H13 FORO - H13 ALBERO 1,14 DIMENSIONI LINEARI 15' fino Ø 200 10' fino Ø 500	TRATT. TERMICO / HEAT TREAT:	SCALA / SCALE: 1:6
NOTICE! THIS PRINT CONTAINS PROPRIETARY INFORMATION AND IS NOT TO BE USED IN ANY MANNER DETRIMENTAL TO THE INTEREST OF TWIN DISC, INCORPORATED. THIS NOTICE IS NOT INTENDED TO NULLIFY OR LIMIT RIGHTS GRANTED TO THE U.S. GOVERNMENT OR OTHERS BY CONTRACT.		THIRD ANGLE PROJECTION	DESCRIZIONE: INGOMBRO AM230 BOM 1029016V	DIS / DRAWN: PR VERIF. / CHECK: GG APPROVATO/APP. DAJ
			TRATT. SUP. / SURFACE TREATMENT:	DECIMA - ITALY <b>1029017R</b> FORMATO / SIZE: A2 FOGLIO / SHEET: 1 OF 1
			DESCRIPTION: INSTALLATION PUMP DRIVE AM230 BOM 1029016V	INDIC. MODIF. / REV.: - INDIC. MODIF. / REV.: -

D

C

B

A