







NOTE:
TO INSURE NO PRELOAD ON SHIFTING
MECHANISM, HAND LEVER IN THE
ENGAGED POSITION SHOULD BE VERTICAL OR
SLIGHTLY OVER CENTER OF DISENGAGED
POSITION



GENERAL NOTES:

- a.) REFER TO BILL OF MATERIAL LIST WHEN ORDERING PARTS.
- b.) REFER TO CARE & OPERATION MANUAL FOR ADDITIONAL INFO.

Drawing and 3D model are valid for all ratios

PRIMO UTILIZZO MONTAGGIO/FIRST USE ASSEMBLY: PRIMO IMPIEGO MODELLO/FIRST USE MODEL: SIMILE A/SIMILAR TO:		MODELLO / MADE FROM:	MATERIALE / MATERIAL:	DATA / DATE: 06/21/2017	A ECNWF-4000031 01/30/2018
METRIC		PESO / WEIGHT: WR ² : kg kg·m ²	TRATT. TERMICO / HEAT TREAT:	SCALA / SCALE: 1:5	INDIC. MODIF. / CHANGE NO. DATA / DATE
NOTICE! THIS PRINT CONTAINS PROPRIETARY INFORMATION AND IS NOT TO BE USED IN ANY MANNER DETRIMENTAL TO THE INTEREST OF TWIN DISC, INCORPORATED. THIS NOTICE IS NOT INTENDED TO NULLIFY OR LIMIT RIGHTS GRANTED TO THE U.S. GOVERNMENT OR OTHERS BY CONTRACT.		TFRILL GEN. DILAVORAZIONE H13 FORO - H13 ALBERO 1,14 DIMENSIONI LINEARI 15' fino Ø 200 10' fino Ø 500	DESCRIZIONE: INGOMBRO AM330 BOM 1029022P	DIS / DRAWN: PR	TWIN(DISC) DECIMA - ITALY
THIRD ANGLE PROJECTION			TRATT. SUP. / SURFACE TREATMENT:	VERIF. / CHECK: GG	1029023J
			DESCRIZIONE: INSTALLATION PUMP DRIVE AM330 BOM 1029022P	APPROVATO/APP: DAJ	FORMATO / SHEET: A2 1 OF 1